

# Lexus Personalized Settings


Your vehicle includes a variety of electronic features that can be programmed to your preferences. Programming of these features is performed once at no charge by your Lexus Dealer provided you obtain the service at the 6-month/5,000-mile scheduled maintenance service.



## GS 200t/350

It is also possible to customize certain vehicle features yourself using the Display Audio system screen.

### Vehicles with Display Audio:





**STEP 1** Press the **MENU** button.




**STEP 2** Highlight  using the RemoteTouch and push to select.



**STEP 3** Scroll to page 2. Highlight  and push to select.



**STEP 4** Highlight **Vehicle Customization** then push to select.



**STEP 5** Select category and scroll to specific customization setting.

Vehicle must be in "ON" mode to program personalized settings. Please refer to the 2016 GS 200t/350 Quick Guide or Navigation Owner's Manual for more information on Remote Touch and Display Audio operations.

### Door Lock Settings

#### 1. Automatic Door Lock

The automatic door locks can be programmed as follows:

- The doors automatically lock when the vehicle speed is 12 mph or higher = By speed
- The doors automatically lock when the vehicle is taken out of Park and shifted into another range (Standard) = By shift from P
- The doors will not automatically lock = Off

#### 2. Automatic Door Unlock

The automatic door locks can be programmed as follows:

- The doors automatically unlock when the vehicle is shifted into Park (Standard) = By shift to P
- All the doors automatically unlock when the driver door is opened = By driver door
- The doors will not automatically unlock = Off

#### 3. Remote 2-Press Unlock

When using the electronic key to unlock the doors:









- Pressing the unlock button one time unlocks the driver's door and two times unlocks all doors (Standard) = On
- Pressing the unlock button one time unlocks all doors = Off















#### 4. Select Doors to Unlock














When using Smart Access to unlock the doors:











- Gripping the driver door handle will unlock all doors = All doors
- Gripping the driver door handle will unlock the driver's door (Standard) = Driver's door


















### Settings that can be customized by:

Using the Display Audio system	Dealer
	
	
	
	

Door Lock Settings (cont'd)	Using the Display Audio system	Dealer
<p><b>5. Access System with Electronic Key</b>                      Unlock the doors with:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Electronic key unlock button (deactivates Smart Access) = Off</li> <li><input type="checkbox"/> Smart Access (touch door handle) or electronic key (Standard) = On</li> </ul>		
<p><b>6. Auto Re-lock Timer</b>                      When the doors are unlocked and not opened:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> They will automatically re-lock in 120 seconds</li> <li><input type="checkbox"/> They will automatically re-lock in 60 seconds (Standard)</li> <li><input type="checkbox"/> They will automatically re-lock in 30 seconds</li> <li><input type="checkbox"/> They will not re-lock = Off</li> </ul>		
<p><b>7. Lock/Unlock Feedback - Lights</b>                      When the lock or unlock button on the electronic key is pressed:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Lock button makes lights flash once/Unlock button makes lights flash twice (Standard) = On</li> <li><input type="checkbox"/> Lights will not flash = Off</li> </ul>		
<p><b>8. Lock/Unlock Feedback - Tone</b>                      When the lock button is pressed on the electronic key, the system volume can be programmed as follows:</p> <p> <input type="checkbox"/> off                        <input type="checkbox"/> volume 1                        <input type="checkbox"/> volume 2                        <input type="checkbox"/> volume 3                        <input type="checkbox"/> volume 4                        <input type="checkbox"/> volume 5 (standard)                        <input type="checkbox"/> volume 6                        <input type="checkbox"/> volume 7                 </p>		
<p><b>Climate Settings</b></p>		
<p><b>9. Smog Sensor Sensitivity</b>                      When in Auto recirculation mode, the sensor will determine when to switch from outside air to recirculated air based on outside air quality:</p> <p> <input type="checkbox"/> lowest sensitivity                        <input type="checkbox"/> sensitivity 2                        <input type="checkbox"/> sensitivity 3                        <input type="checkbox"/> normal (standard)                        <input type="checkbox"/> sensitivity 5                        <input type="checkbox"/> sensitivity 6                        <input type="checkbox"/> highest sensitivity                 </p>		
<p><b>10. Auto A/C Mode</b>                      When Auto A/C is selected:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> It will automatically engage the air conditioner compressor to reach the set temperature (Standard) = On</li> <li><input type="checkbox"/> It will automatically achieve a set temperature, warm or cool, without engaging the air conditioner compressor* = Off</li> </ul> <p>*The AC compressor will be engaged when the Auto AC button is pressed a second time</p>		
<p><b>Lights Settings</b></p>		
<p><b>11. Headlamps-On Sensitivity</b>                      The front headlights can be programmed to turn On under varying degrees of ambient light conditions (headlight switch must be in Auto mode):</p> <p> <input type="checkbox"/> very dark                        <input type="checkbox"/> dark                        <input type="checkbox"/> normal (standard)                        <input type="checkbox"/> light                        <input type="checkbox"/> very light                 </p>		

Lights Settings (cont'd)	Using the Display Audio system	Dealer
<p><b>12. Headlights Auto-Off Timer</b> When the ignition is turned off and all the doors are closed (headlight switch must be in Auto mode):</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> The headlights will turn off in 90 seconds</li> <li><input type="checkbox"/> The headlights will turn off in 60 seconds</li> <li><input type="checkbox"/> The headlights will turn off in 30 seconds (Standard)</li> <li><input type="checkbox"/> The headlights will turn off immediately when the vehicle is turned off and the driver door is opened</li> </ul>		
<p><b>13. Daytime Running Lights</b> Illumination of daytime running lights:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> On (Standard)</li> <li><input type="checkbox"/> Off</li> </ul>		
<p><b>14. Interior Lights Off Timer</b> The interior lights can be adjusted to stay on after closing the door as follows:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> 30 seconds</li> <li><input type="checkbox"/> 15 seconds (Standard)</li> <li><input type="checkbox"/> 7.5 seconds</li> <li><input type="checkbox"/> Off</li> </ul>		
<p><b>15. Exterior Lights Off Timer</b> The exterior lights can be adjusted to stay on after closing the door as follows:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> 30 seconds</li> <li><input type="checkbox"/> 15 seconds (Standard)</li> <li><input type="checkbox"/> 7.5 seconds</li> <li><input type="checkbox"/> Off</li> </ul>		
<p><b>Other Vehicle Settings</b></p> <p><b>16. Driver's Seat Easy Exit*</b> When the vehicle is placed in park and the ignition turned off, the driver seat can be set as follows:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Remain in the current position, as set by the driver = Off</li> <li><input type="checkbox"/> Automatically move partially away from the steering wheel = Partial</li> <li><input type="checkbox"/> Automatically move fully away from the steering wheel (Standard) = Full</li> </ul> <p>* If equipped</p>		
<p><b>Programmable by Dealer Only</b></p> <p><b>17. Door Lock Buzzer</b> When the lock button on the electronic key is pressed and a door is not fully closed:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> The buzzer will sound (Standard) = On</li> <li><input type="checkbox"/> The buzzer will not sound = Off</li> </ul>	<hr/>	 Dealer only
<p><b>18. Panic Mode</b> When pressing the panic button on the electronic key:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> The alarm will sound intermittently and the vehicle lights will flash (Standard) = On</li> <li><input type="checkbox"/> The alarm will not sound and the vehicle lights will not flash = Off</li> </ul>	<hr/>	 Dealer only
<p><b>19. Opening the Trunk</b> Pressing the trunk release button on the electronic key will open the trunk. The release button can be programmed as follows:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Press button one time to release the trunk (no delay)</li> <li><input type="checkbox"/> Press button two times to release the trunk</li> <li><input type="checkbox"/> Press and hold button for 0.8 seconds to release the trunk. (Standard)</li> <li><input type="checkbox"/> The button can be turned off so the trunk cannot be opened using the electronic key</li> </ul>	<hr/>	 Dealer only

<u>Programmable by Dealer Only (cont'd)</u>	Using the Display Audio system	Dealer
<p><b>20. Unlock on Second Key Turn</b>  <b>When using the mechanical key to unlock the doors:</b>  <input type="checkbox"/> Turning the key one time unlocks the driver door, and two times unlocks all doors (Standard) = On  <input type="checkbox"/> Turning the key one time will unlock all doors = Off</p>	_____	 Dealer only
<p><b>21. Close Windows and Moon Roof with Mechanical Key</b>  <b>When using the mechanical key to operate windows:</b>  <input type="checkbox"/> Turning the key right and holding the position for 1.5 seconds will not close the windows and moon roof (Standard) = Off  <input type="checkbox"/> Turning the key right and holding the position for 1.5 seconds will close the windows and moon roof = On</p>	_____	 Dealer only
<p><b>22. Open Windows and Moon Roof with Mechanical Key</b>  <b>When using the mechanical key to operate windows:</b>  <input type="checkbox"/> Turning the key left and holding the position for 1.5 seconds will not open the windows and moon roof (Standard) = Off  <input type="checkbox"/> Turning the key left and holding the position for 1.5 seconds will open the windows and moon roof = On</p>	_____	 Dealer only
<p><b>23. Slide/Tilt Moon Roof with Mechanical Key</b>  <b>When option #22 is on, the moon roof can be programmed to:</b>  <input type="checkbox"/> Slide (Standard)  <input type="checkbox"/> Tilt</p>	_____	 Dealer only
<p><b>24. Open Windows and Moon Roof with Electronic Key</b>  <b>When pressing the unlock button on the electronic key for 3 seconds:</b>  <input type="checkbox"/> The windows and moon roof will not open (Standard) = Off  <input type="checkbox"/> All the windows and moon roof will open = On</p>	_____	 Dealer only
<p><b>25. Slide/Tilt Moon Roof with Electronic Key</b>  <b>When option #24 is on, the moonroof can be programmed to:</b>  <input type="checkbox"/> Slide (Standard)  <input type="checkbox"/> Tilt</p>	_____	 Dealer only
<p><b>26. Illumination of the Interior Cabin Lights when Unlocking Door</b>  <b>When using the electronic or mechanical key to unlock the door, the interior cabin lights can be programmed as follows:</b>  <input type="checkbox"/> The cabin light will illuminate (Standard) = On  <input type="checkbox"/> The cabin light will not illuminate = Off</p>	_____	 Dealer only
<p><b>27. Illumination of the Interior Cabin Lights when Approaching the Vehicle</b>  <b>When approaching the vehicle with the electronic key, the interior cabin lights can be programmed as follows:</b>  <input type="checkbox"/> The cabin light will illuminate (Standard) = On  <input type="checkbox"/> The cabin light will not illuminate = Off</p>	_____	 Dealer only
<p><b>28. Illumination of the Outer Foot Lights when Approaching the Vehicle</b>  <b>When approaching the vehicle with the electronic key, the outer foot lights can be programmed as follows:</b>  <input type="checkbox"/> The outer foot lights will illuminate (Standard) = On  <input type="checkbox"/> The outer foot lights will not illuminate = Off</p>	_____	 Dealer only
<p><b>29. Illumination of the Outer Foot Lights when Unlocking the Door</b>  <b>When using the electronic key to unlock the door, the outer foot lights can be programmed as follows:</b>  <input type="checkbox"/> The foot lights will illuminate (Standard) = On  <input type="checkbox"/> The foot lights will not illuminate = Off</p>	_____	 Dealer only

Programmable by Dealer Only (cont'd)	Using the Display Audio system	Dealer
<p><b>30. Interior Lights</b>                      The interior lights will illuminate when POWER is switched to Off:  <input type="checkbox"/> On (Standard)  <input type="checkbox"/> Off</p>	<p>_____</p>	<p>                      Dealer only</p>
<p><b>31. Instrument Restore Sensitivity</b>                      Level of light at which the instrument panel lights will brighten:</p> <p>      </p> <p>very light    light    normal (standard)    dark    very dark</p>	<p>_____</p>	<p>                      Dealer only</p>
<p><b>32. Instrument Dimming Sensitivity</b>                      Level of light at which the instrument panel lights will dim:</p> <p>      </p> <p>very dark    dark    normal (standard)    light    very light</p>	<p>_____</p>	<p>                      Dealer only</p>
<p><b>33. Tilt Away of Steering Wheel</b>                      When the vehicle is shifted into park and the ignition turned off, the steering wheel can be set as follows:  <input type="checkbox"/> Automatically move up and away from the driver position setting (Standard) = On  <input type="checkbox"/> Remain in the current position, as set by the driver = Off</p>	<p>_____</p>	<p>                      Dealer only</p>
<p><b>34. Efficient Ventilation Mode</b>                      When the front defogger is activated:  <input type="checkbox"/> It will automatically blow air onto the windshield without engaging the air conditioner compressor = Off  <input type="checkbox"/> It will automatically engage the air conditioner compressor to blow air onto the windshield (Standard) = On</p>	<p>_____</p>	<p>                      Dealer only</p>
<p><b>35. Automatic Rear Sunshade*</b>                      The rear sunshade automatically lowers when the shift lever is shifted into reverse:  <input type="checkbox"/> On (Standard)  <input type="checkbox"/> Off                      *If equipped.</p>	<p>_____</p>	<p>                      Dealer only</p>
<p><b>36. Rear Sunshade Reverse Timer*</b>                      When the vehicle is shifted into reverse, the sunshade automatically lowers in:  <input type="checkbox"/> 0.7 seconds (Standard)  <input type="checkbox"/> 1.2 seconds  <input type="checkbox"/> 0.9 seconds  <input type="checkbox"/> 0 seconds                      *If equipped.</p>	<p>_____</p>	<p>                      Dealer only</p>

Date \_\_\_\_\_ Customer Signature \_\_\_\_\_

Repair Order Number (Dealer only) \_\_\_\_\_ Vehicle Identification Number (Dealer only) \_\_\_\_\_